

CLIQ_® GEN2 BLE Key

Function

The Mul-T-Lock electromechanical CLIQ® GEN2 BLE Key can be programmed directly with authorizations and time profiles. Used in combination with the CLIQ® cylinder the CLIQ GEN2 BLE key collects usage information to create complete access audit trails. Update authorization directly via the Smartphone App.

The BLE enables On-Line access operation wirelessly.



Application

The new CLIQ® GEN2 BLE Key is based on Mul-T-Lock's High Security mechanical platforms MTL800.

This key is recommended for use with CLIQ® Remote Programming Devices.

Features

Schedule: 32 week-based time intervals

Audit trail: 10,000 events logs Color-coded LED indicators:

Green: authorizedRed: unauthorized

- Red-green-red: out of schedule

- Blinking red: low battery

- Supports remote programming of authorizations and scheduling.

- CLIQ GEN2 keys support programable of over 200,000 locks.

Specifications

IP57

Temperature range: -10°C to +60°C

Encrypted (AES-256) communication between C-key and software. Encrypted (AES-256) communication between C-key and cylinder. Powered by a CR2032 3V lithium battery, which is easily replaced.

Battery lifetime: 1 years or 5,000 operations



www.mul-t-lock.com

The Mul-T-Lock name, the muscleman logo, in the field of locking products, and the MTL name and/or any other trademark, marked by a [™] or [®] sign, are registered / pending or otherwise owned trademarks of Mul-T-Lock Ltd. and/or its affiliates 2022. 98102137-A